



AMERICAN  **GRASSFED**  **ASSOCIATION**

Grassfed & Pasture Finished Ruminant Standards

July 2009



1 Introduction

The American Grassfed Association (AGA) standards are intended to incorporate the attributes of open pasture, humane animal care, no antibiotics, no hormones, the production of nutritious and healthy meats and to be supportive of American family farms. The standard further recognizes that the US is geographically and climatically diverse and that 100% grassfed production may not be feasible in some regions of the country. In developing a three tier system of standards the AGA brings together farms who share the attributes mentioned above but may differ in their approach or need for supplemental feed on pasture.

These standards apply to all farms and ranches approved by the American Grassfed Association (AGA) for the production of market animals and products destined for certification by AGA. Only farms and ranches certified as following these standards may use AGA's American Grassfed Association ® logos, Association trademarks, service marks and/or design marks hereafter referred to as AGA Design Mark.

2 Certification

2.1 Statement of Purpose; Applicability

The American Grassfed Association (AGA) family of logos and design marks were developed by the American Grassfed Association and trademarked to identify food and agriculture products, which meet the standards as set forth in the AGA Grassfed and Pasture Finished Ruminant Standards and certified through a program approved by the AGA. The logos and design marks have been trademarked by the U.S. Trademark and Patent office and may only be used by those who have an approved signed license agreement with the American Grassfed Association. The American Grassfed Association logos and design marks were established to provide a marketing program that adds value to food and agricultural products that meet the requirements set by the AGA membership and the Board of Directors. The requirements of the AGA Grassfed and Pasture Finished Ruminant Standards are set by the American Grassfed Associations members and it's Board of Directors and may be amended from time to time.

2.2 Statement of Use

The American Grassfed Association the trademark, service mark and /or design mark may be used on product packaging and promotional materials, including brochures, sales literature, advertising, banners, Web sites, point of purchase material, etc. When used, the logos must comply with these guidelines. If a company wishes to use the logos in a manner other than described in these guidelines, it must request and receive permission in writing from American Grassfed Association.

- i. A licensee may display the AGA Design Mark , which is a registered certification mark, on the products licensed.

- ii. Licensee must have an approved signed license agreement with the American Grassfed Association to use the trademark, service mark and /or design mark on any products.
- iii. Licensee may use the trademark, service mark and /or design mark on company stationery, promotional literature and web sites only if AGA certifies licensee's entire product range. Licensee may only use the service/design mark associated with its audited product (100% grassfed, grassfed or pasture raised).

2.3 Product Requirements

Raw, processed and non-processed ruminant products produced using the production requirements set forth in the AGA Grassfed and Pasture Finished Ruminant Standards and certified by such agency as set by the AGA board of directors.

2.4 Use of the American Grassfed Association Design Mark

2.4.1

Applicants must certify on the application that all applicable AGA Grassfed and Pasture Finished Ruminant Standards are met.

2.4.2

Applicants must be current members of the American Grassfed Association with all dues and fees paid while using the AGA design mark.

2.4.3

Applicant's farm or ranch will be audited by the AGA or its approved certifying agency(s) to determine eligibility to use the AGA design mark.

2.4.4

The AGA will determine which tier of its standards applies to the applicants farm/ranch and which AGA design mark the applicant will be licensed to use.

2.4.5

The AGA or its approved certifying agency(s) may make unannounced site visits to applicant's farms or ranches to verify that all AGA Grassfed and Pasture Finished Ruminant Standards are met.

2.4.6

Except as otherwise provided in this section, all requirements for membership in the American

Grassfed Association shall apply to entities and individuals certified under this section.

2.5 American Grassfed Design Mark

2.5.1

You must reproduce the AGA Design Mark from original artwork. Please contact AGA for a copy of the Design Mark.

2.5.2



Tier 1



Tier 2



Tier 3

- complete and upright
- in one color
- clearly visible
- at least 1/2 inch in diameter, and
- clear and legible over the whole of a background.
- on the main face of the label or packaging

2.5.3

Any use of these logo's which is deemed a misrepresentation of the intended use by the American Grassfed Association may result in the suspension and/or prosecution of the license agreement.

2.5 Fees

Applicants shall submit an annual fee as set by the American Grassfed Association board of directors. A per head fee will also be assessed by the board for every animal marketed using the AGA design mark.

3 Grassfed and Pasture Finished Standards

AGA Grassfed and Pasture Finished Ruminant Standards are divided into a three tier system. Tiers 1 & 2 define a grassfed protocol while tier 3 is a Pasture Finished protocol. Standards must be maintained for 8 out of 10 years for producers to keep their current tier status. If

standards are not met for 3 years in ten or more tier 1 producers will drop to tier 2 and tier 2 producers will drop to tier 3 and tier 3 producers will lose their status.

3.1 Forage Protocol

3.1.1

All livestock production must be pasture/grass/forage based.

3.1.2

Grass and forage shall be the feed source consumed for the lifetime of the ruminant animal, with the exception of milk consumed prior to weaning. The diet shall be derived solely from forage consisting of grass (annual and perennial), forbs (e.g. Legumes, Brassica), browse, or cereal grain crops in the vegetative (pre-grain) state. Animals cannot be fed grain and must have continuous access to pasture.

3.1.3

Forage is defined as any herbaceous plant material that can be grazed or harvested for feeding, with the exception of grain.

3.2 Grazing, Confinement and Stock Piled Forages

3.2.1

AGA Grassfed & Pasture Finished animals must be maintained at all times on range, pasture, or in paddocks with at least 75% forage cover or unbroken ground for their entire lives.

Note: The provisions of this standard do not preclude commonly used grazing practices such as high-density/low-frequency or strip grazing, when large numbers of animals may graze growing forages in small paddocks for short periods of time.

3.2.2

AGA Grassfed & Pasture Finished animals must not be confined to a pen, feedlot or other area where forages or crops are not grown during the growing season.

3.2.3

Exceptions to sections 3.2.1 and 3.2.2 are limited to emergencies that may threaten the safety and well being of the animals.

3.2.4

AGA Grassfed & Pasture Finished animals may be fed hay, haylage, baleage, silage, crop residue without grain and other roughage sources while on pasture

3.2.5

AGA Grassfed & Pasture Finished animals cannot be fed stock-piled forages in confinement for more than 30 days per calendar year.

3.2.6

Approved mineral and vitamin supplements may be provided free choice to adjust the animal's nutrient intake and to correct deficiencies in its total diet.

3.2.7

Feeding of non-forage supplements is prohibited. If inadvertent exposure to non-forage feedstuffs occurs the incident must be recorded as per 3.3.6.

3.2.8

Consumption of seeds naturally attached to herbage, forage and browse is considered incidental and acceptable.

Note: Oat hay and other cereal crops that are harvested after seed production are not permitted.

3.2.9

Deliberately waiting until a cereal grain crop has set seed before grazing or harvesting for stored forage is prohibited.

3.3 Supplementation

3.3.1 - Tier 1

Tier 1 AGA Grassfed animals must be maintained on 100% forage diet with no exposure to any non-forage supplements.

3.3.2 – Tier 2

Tier 2 AGA Grassfed animals may only be fed approved non-forage supplements to ensure the animal's well being during periods of low forage quality or inclement weather.

3.3.3 – Tier 2

When the conditions of 3.3.2 are met Tier 2 AGA Grassfed animals may receive supplementation of approved non-forage feedstuffs not to exceed 25% of total intake per day or 1% of total intake consumed during the animal's lifetime when calculated on a dry matter basis

3.3.4 – Tier 3

Tier 3 Pasture Finished animals may be fed approved non-forage supplements at a rate of .5% of Body Weight during the growth stage and 1% of Body Weight during the finishing stage when calculated on a dry matter basis.

Note: For the purpose of this standard the finishing stage is defined as the last 200 pounds gained before harvest.

3.3.4

Supplements must be approved in advance by AGA's nutritional supplements committee or be listed in the Approved Supplements List, see Appendix B. Approved supplements or total supplement rations may not exceed 30% Non-Fibrous Carbohydrate (NFC).

Note: Supplements that have an adverse effect on the nutritional quality of the meat produced or have negative health benefits on the animals fed will not be permitted.

3.3.5

Receipts, ingredient lists and/or tear tags must be retained from any supplements provided.

3.3.6

A record of how much was given, when it was given and what was given must be kept for any supplements whether deliberately provided or to which the AGA grassfed ruminant is inadvertently exposed.

3.3.7

Feeding any of the banned feedstuffs listed in Appendix C to AGA Grassfed & Pasture Finished animals is prohibited and will result in the loss of AGA Certified status.

3.5 Animal Health and Welfare

3.5.1

All livestock production methods used with AGA Grassfed Ruminant animals must support humane animal welfare, handling, transport and slaughter.

3.5.2

The producer must develop and maintain a written record of all vaccines, medications or other substances used in their animal health care program

3.5.3

AGA Grassfed Ruminant animals must not be fed or injected antibiotics

3.5.4

Sick or injured animals must be treated to relieve their symptoms

3.5.5

If prohibited medications are required for treatment the animal must be identified, tracked and records kept to demonstrate that it does not enter the AGA Grassfed Ruminant system.

Note: Provided the identification and tracking are adequate the animal may still be kept with other animals that do qualify for the AGA Grassfed Ruminant system.

3.5.6

The producer must keep records of the purchase of any antibiotics purchased. Antibiotic receipts and injection records must be available on demand to the certifying agency

3.5.7

No hormones of any type may be administered to AGA Grassfed Ruminant animals

3.5.8

Livestock produced under these standards must not be fed any animal by-products at any time.

3.6 Animal Identification and Trace-Back

3.6.1

AGA Grassfed Ruminant animals must be traceable by written record throughout their entire life from birth to harvest to the farm or ranch from which they originated.

3.6.2

Each producer must develop and maintain an Animal Identification system to uniquely identify each animal and allow 48-hour trace-back.

3.6.3

Complete and up to date records must be maintained and specifically identify all animals raised and purchased that are sold or harvested as part of the AGA Grassfed Ruminant Program.

3.6.4

Complete and up to date records must be maintained to show the source of all purchased market animals brought onto farm or ranch.

3.6.5

Records must document that the supplier of the purchased market animals raised them in accordance to AGA Grassfed and Pasture Finished Ruminant Standards.

3.6.6

Only market animals one year of age or younger may be brought into the AGA Certified Grassfed program by affidavit.

Note: AGA Grassfed Supplier Affidavit, Appendix A, must be used for purchased animals after January 1, 2010. All market animals brought onto a farm or ranch for the AGA Certified Grassfed Program must come from audited suppliers beginning Jan. 1 2011.

3.6.7

Complete and up to date records must be maintained for all AGA market animals delivered for harvest. AGA Transfer of Livestock for Harvest documents are provided as a template.

3.6.8

All records are to be maintained for a minimum of 24 months after the animal is sold or harvested.

3.6.9

All required records must be in sufficient detail as to demonstrate compliance with AGA standards to the certifying agency.

3.7 Program Requirements

3.7.1

The annual cost for AGA Certified Producer Member will be set by the Board of Directors at regularly scheduled Board meetings and will be set to cover the administrative cost to the Association. On Farm inspection cost will be borne by the individual member.

4.1 Amendment Procedure

4.1.1

The AGA recognizes that as new research becomes available on grassfed meat and milk products changes may be required to the AGA Grassfed Ruminant Program Standards and Definitions. The following procedure will be followed for reviewing and amending AGA Grassfed Ruminant Program Standards and Definitions.

4.1.2

The review and amendment procedure shall be accomplished by a Standards/Certification Committee appointed by the President. Amendments will require a 2/3 majority vote of the entire Standards Committee.

4.1.3.

The Standards/Certification Committee will meet at least once per year to review and discuss new grassfed information and research. At this meeting the Committee will vote to send any recommended amendments to the full Board for approval. This meeting will be held in conjunction with the AGA annual conference.

4.1.4

The vote for amendment of the AGA Grassfed Ruminant Program Standards and Definitions shall require a majority vote of the entire Board of Directors.

4.1.5

The Board of Directors will set the amount of time members have to implement any adopted changes to the AGA Grassfed Ruminant Program Standards and Definitions.

5 Reference Documents

5.1 AGA Grassfed Supplier Affidavit

See Appendix A.

5.2 AGA Approved Supplements List

See Appendix B.

5.3 AGA Banned Feed Stuffs List

See Appendix C.

5.4 AGA Transfer of Livestock for Harvest

Currently under development.

6 AGA Grassfed and Pasture Finished Ruminant Standards Definitions

Baleage or Round Bale Silage: A practice that involves cutting the forage crop with conventional hay harvesting equipment, allowing the forage to wilt to between 30 and 60 percent dry matter, then baling it into tight bales and wrapping them immediately. Bales are wrapped mechanically using bale-wrapping equipment that tightly stretches several layers of plastic around the hay to exclude oxygen and allow proper ensiling. (5)

Boot Stage: The flag leaf is fully expanded, but the awns and grain head are not visible. The grain head can be felt in the flag leaf sheath. (4)

Brassicas: A Family of very productive annual forage vegetables used as transition crops between pasture renovations or as a supplemental feed source for extending the grazing season when other forages are less productive i.e., turnips, rape, and kale.

Browse: 1) Leaf and twig growth of shrubs, woody vines, trees, cacti, and other non-herbaceous vegetation available for animal consumption. 2) To browse; the consumption of browse in situ by animals. (6)

Caryopsis: A small, one-seeded, dry fruit with a thin pericarp surrounding and adhering to the seed; the seed (grain) or fruit of grasses. (6)

Concentrate: All feed, low in fiber and high in total digestible nutrients, that supplies primary nutrients (protein, carbohydrate, and fat); for example, grains, cottonseed meal, wheat bran. (6)

Crop Residue: Portion of plants remaining after fruit and/or seed harvest, said mainly of grain crops such as corn stover or of small grain straw and stubble. (6)

Diet: The feed regularly offered to/or consumed by an animal. (6)

Dough Stage: The kernel is filled with starch and is well formed. There is no milky fluid, only a rubbery, dough-like substance. (4)

Dormancy: In a state of being dormant when no active growth is occurring. (7)

Ensilage: The same as silage. (2)

Ensiled: Having been subjected to anaerobic fermentation to form silage. (2)

Feedstuff: 1) n. any of the constituent nutrients of an animal ration. (7)

Fermentation: Chemical changes brought about by enzymes produced by various microorganisms. (2)

Forb: Any herbaceous broadleaf plant that is not a grass and is not grass-like. (6)

Fruit: 1) n. The usually edible reproductive body of a seed plant in particular, one having a sweet pulp associated with the seed. 2) n. A product of fertilization in a plant with its modified envelopes or appendages, in specific the ripened ovary of a seed plant and its contents. (7)

Grain: 1) n. A single small hard seed: a seed or fruit of a cereal grass: caryopsis. (2) n. the seeds or fruits of various food plants including the cereal grasses and in commercial and statutory usage other plants (as the soybean): plants producing grain. (7)

Grain by-products: Feedstuff products derived from grains. I.e.- corn gluten pellets, dried distillers grains, wheat shorts, etc. (1)

Grass: Member of the plant Family *Poaceae*. (6)

Green chop: Forage harvested and fed in the green, chopped form, generally without seed. (2)

Growing Forage: Forage plants that aren't in the dormant (non-growing) state and thus are actively developing stem, leaf, and/or reproductive tissues for growth. (1)

Glucose: A hexose monosaccharide obtained upon the hydrolysis of starch and certain other carbohydrates. Also called dextrose. (2)

Hay: The aerial parts of forage crops stored in the dry form for animal feeding. (2)

Haylage: Haylage is the feed produced by storing in an airtight silo a forage crop which has been dried to a moisture level of about 45-55%. (2)

Herbage: 1.) The biomass of herbaceous plants, other than separated grain, generally above ground but including edible roots and tubers. (6) 2.) n. Green plants especially when used or fit for grazing. (7)

Hydrolysis: The splitting of a substance into the smaller units by its chemical reaction with water. (2)

Inflorescence: 1) n. A floral axis with its appendages. 2) n. a flower cluster of which there are at least 9 recognized types. (7)

Kernel: A mature ovule of a grass plant that has the ovary wall fused to it. Same as caryopsis.(6)

Legumes: members of the *Fabaceae* plant family (formerly known as the *Leguminosae* family). Legumes are dicots (produce two seed leaves), produce seed in a pod, have netted leaf venation, and usually have a taproot type of root system. Most legumes have the ability to interact with bacteria of the genus *Rhizobium* to fix nitrogen in nodules on their roots. Legumes may have one of four different types of seedheads. These seedhead types are the raceme, the spike, the head or umbel. (5)

Meadow: Area covered with grasses and/or legumes, often native to the area, grown primarily for hay but with secondary grazing potential. (6)

Milk Stage: In grain (seed), the stage of development following pollination in which the endosperm appears as whitish liquid that is somewhat like milk. (6)

Mineral: 1) n. a solid homogeneous crystalline chemical element or compound that results from the inorganic processes of nature. 2) n. Any of the various naturally occurring homogeneous

substances obtained usually from the ground. 3) n. a synthetic substance having the chemical composition and crystalline form and properties of a naturally occurring mineral. (7)

Native Pasture: Native vegetation (predominantly herbaceous) used for grazing in untilled areas. The term tame or introduced is used instead of native for pastures that include mainly nonnative species. (6)

Paddock: A grazing area that is a subdivision of a grazing management unit and is enclosed and separated from other areas by a fence or barrier. (6)

Pasture: 1) n. Forages which are harvested by grazing animals. 2) n. An area of land with 75% forage cover or unbroken land on which livestock may graze at will.

Pastureland: Land devoted to the production of indigenous or introduced forage for harvest primarily by grazing. Pastureland generally must be managed to arrest succession processes. (6)

Pericarp: The ripened and variously modified walls of a plant ovary, especially those contributing the outer layer in a cereal caryopsis. (6)

Prairie: Nearly level or rolling grassland that was originally treeless; usually characterized by fertile soil. (6)

Range: Land supporting indigenous vegetation that is grazed or that has the potential to be grazed and is managed as a natural ecosystem. Includes grazeable forestland and rangeland. (6)

Rangeland: land on which the indigenous vegetation (climax or natural potential) is predominantly grasses, grass-like plants, forbs, or shrubs suitable for grazing or browsing use and is managed as a natural ecosystem. If plants are introduced, they are managed as indigenous species. Rangelands include natural grasslands, savannas, shrublands, most deserts, tundra, alpine communities, coastal marshland, and wetland meadows. (6)

Ration: the total amount of feed (diet) allotted to one animal for a 24-hour period. (6)

Residue: that which remains of any particular substance. (2)

Roughage: Any feed high (over about 20%) in crude fiber and low (under about 60%) in total digestible nutrients, on an air-dry basis. Opposite of concentrate. (2)

Seed: 1) n. Ripened mature ovule consisting of an embryo, a seedcoat, and a supply of food that, in some species is stored in the endosperm. 2) v. To sow, as to broadcast or drill small-seeded grasses, legumes, or other crops. (6)

Seedhead: See inflorescence.

Separated Grain: Grain that is detached from cereal crop plants.

Silage: "The feed resulting from the storage and fermentation of green or wet crops under anaerobic conditions." "Normally contains only about 25-35% dry matter (DM). Practically any

crop may be made into silage, provided it contains an appropriate level of moisture, adequate amounts of readily fermentable carbohydrates, and adequate levels of other nutrients, and provided it can be sufficiently packed.’ ‘The most commonly used silage crops are: corn, forage and grain sorghum, small grains and hay crop.’ ‘Most crops to be used for silage are permitted to mature or field dry to a moisture level of 65-75% (25-35% DM). For corn this is about the early dent stage of maturity and for grain sorghum the late dough stage at the earliest. This is when the moisture level is about right for good silage formation.” (2)

Starch: A polysaccharide having the formula $(C_6H_{10}O_5)_n$. Many plants store energy in the form of starch. Starch is a major component of most livestock rations (especially fattening rations) and is highly digestible. Yields glucose upon complete hydrolysis. (2)

Stockpiled Forage: Forage that has been allowed to accumulate on a pasture or paddock for grazing at a later period. Forage is often stockpiled for autumn and winter grazing after or during dormancy or semi-dormancy, but stockpiling may occur at any time during the year as a part of a forage management plan. Stockpiling can be described in terms of deferment and forage accumulation. (6)

Stover: The matured cured stalks of such crops as corn or sorghum from which the grain has been removed. A type of roughage. (6)

Stubble: The basal portion of the stems of herbaceous plants left standing after harvest. (6)

Supplement: A nutritional additive (salt, protein, phosphorus, etc.) intended to improve the nutritional balance and remedy deficiencies of the diet. (6)

Supplemental Feeding: The practice of supplying feedstuffs to correct nutritional deficiencies in an animal’s “natural” diet.

Vegetative: Non-reproductive plant parts, (leaf and stem) in contrast to reproductive plant parts (flower and seed) in developmental stages of plant growth. The non-reproductive stage in plant development. (6)

Vegetative State: Stage prior to the appearance of fruiting structures. (6)

Vitamin: 1) n. Any of various organic substances that are essential in minute quantities to the nutrition of most animals and some plants that act especially as coenzymes and precursors of coenzymes in the regulation of metabolic processes

6.1 REFERENCES

- (1). AGA Certified Ruminant Standards Livestock Program, 2006
- (2). Feeds and Feeding; Arthur E. Cullison, 1979
- (3). Cow-Calf Management Guide, Cattle Producer's Library; Ag Communications Center, University of Idaho,

The Fermentation Process and Silage Troubleshooting, Small Grain Silage for Beef Cattle, Haylage, Corn Silage
- (4). A Guide to Cereal Forage for Profitable Dairy Management; RSI, Resource Seeds, Inc. 1998
- (5). Ball, D.M., C.S. Hoveland, and G.D. Lacefield. 2002. P. 1-321. Southern Forages, Modern Concepts for Forage Crop Management 3rd. ed. Potash & Phosphate Institute (PPI) Norcross, GA
- (6). Barnes, R.F., D.A. Miller, and C.J. Nelson. 1995. Glossary. P.487-501. In R. F. Barnes, D.A. Miller, and C. J. Nelson (ed.) Forages, Vol. I, An Introduction to Grassland Agriculture, 5th. ed. Iowa State University Press, Ames, IA.
- (7). Meriam Webster's Collegiate Dictionary. Tenth Edition is an excellent source for important words, including but not limited to: Browse, cereal, crop, dicot, forage, forb, grain, grass, graze, grassland, herb, herbage, herbaceous, monocot, pasture, range, rangeland, seed, silage, etc.

Appendix A

American Grassfed Association

AGA Grassfed/ Pasture Finished Supplier Affidavit

To be filled out by each supplier of animals to farms/ranches that are Certified AGA Grassfed or Pasture Finished.

Supplier Name: _____

Farm / Ranch name: _____

Mailing address: _____

City: _____; State: _____; Zip Code: _____

Phone: _____; Mobile: _____

E-mail: _____; Fax: _____

AGA Producer Name: _____; Tier Rating of Member _____

Farm / Ranch name: _____

As a supplier of animals to an AGA producer, this letter serves as documentation that all animals provided to the above AGA producer have been raised in accordance to the AGA Grassfed and Pasture Finished Ruminant Program Standards. I acknowledge that I have read and understand the AGA Grassfed and Pasture Finished Ruminant Standards and that these animals listed below comply with said standards. Supplier further confirms that the supplied animals were raised in accordance with the tier rating of the AGA producer.

Animal Delivery or Transfer Date: _____

Animal Ear Tag # Or Brand	Livestock species	Sex	Breed	Color Description

Number of Animals Delivered or Transferred: _____

I certify that all statements made herein are true to the best of my knowledge.

Name: _____; Date: _____

Signature: _____

Appendix B

American Grassfed Association

When supplements are used it seems logical that these supplements should be looked upon as substitutes or replacements for the pasture that is not available at the time. Thus, the supplements should be nutritionally comparable in the major nutrient content of the forage being replaced. The nutrients considered should be uniformly available (nutritionally speaking) and probably include; energy, fiber, starch and protein. Since most pasture grasses, legumes and mixtures contain 20 to 30% starch, it seems axiomatic that supplements should contain levels of starch along with a high level of highly digestible fiber. This rationale indicates starch : fiber content is a better criterion to judge supplemental feedstuffs. The goal of any supplementation would be to not change the nutrient profile of the product produced (e.g. beef). The approach taken for this standard is to allow feeding of supplements on the basis of their Nonfiberous Carbohydrate Content (NFC). Supplements with an NFC % of 30% or less will be allowed under this standard.

The following list of approved supplements is not an exclusive list but lists supplements that have been approved by the AGA to date. The AGA Certification Committee may review and amend this list periodically. Supplements not listed below must be approved in advance by AGA's nutritional supplements committee. Supplements that have an adverse effect on the nutritional quality or have negative health benefits on the animals fed will not be allowed.

AGA Approved Supplements List- Tier 2

Cottonseed Hulls or Cottonseed Hull Pellets
Cottonseed Meal mechanically or solvent extracted
Peanut Hulls or Peanut Hull Pellets
Peanut meal
Rice Hulls Rice Hull Pellets
Alfalfa Cubes or Pellets (17% Protein)
Corn Cobs
Oat Hulls or Oat Hull Pellets
Oat Silage (dough stage)
Corn silage (no grain)
Soy Hulls or Soy Hull Pellets
Beet Pulp
Flax Seed or Flax Seed Meal
Safflower Seed Meal
Corn Gluten
Wheat Bran
Sunflower Meal, mechanically or solvent extracted

Additional Approved Supplements for Tier 3

(All the supplements listed above are approved for Tier 3 as well as the supplements listed below).

Brewer's Grain
Distiller's Grain

Appendix C

American Grassfed Association

AGA Banned Feedstuffs List

The following list of banned feedstuffs is not an exclusive list. The AGA Certification Committee may review and amend this list periodically.

Corn

Cereal Grains

Urea and other non-protein nitrogen sources

Milk replacer containing antibiotics, growth promoters and/or any animal by-products aside from milk protein

Animal by-products

Antibiotics

Hormones